UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/715,730	11/18/2003	George F. Fattman	CV0326 NP	4899
	7590 06/13/200 ERS SQUIBB COMP.	EXAMINER		
100 HEADQUARTERS PARK DRIVE			CHAPMAN, GINGER T	
SKILLMAN, NJ 08558			ART UNIT	PAPER NUMBER
			3761	
			MAIL DATE	DELIVERY MODE
			06/13/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)		
	10/715,730	FATTMAN, GEORGE F.		
Office Action Summary	Examiner	Art Unit		
	Ginger T. Chapman	3761		
The MAILING DATE of this communication appeariod for Reply	ppears on the cover sheet with the	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory perio - Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION I.136(a). In no event, however, may a reply be to divide apply and will expire SIX (6) MONTHS from the cause the application to become ABANDON	N. imely filed in the mailing date of this communication. ED (35 U.S.C. § 133).		
Status				
Responsive to communication(s) filed on <u>25</u> This action is FINAL . 2b) ☑ The Since this application is in condition for allow closed in accordance with the practice under	is action is non-final. ance except for formal matters, p			
Disposition of Claims				
4) ☐ Claim(s) 1-3,5-18 and 21 is/are pending in the 4a) Of the above claim(s) is/are withdrest signal of the above claim(s) is/are withdrest signal of the above claim(s) is/are allowed. 6) ☐ Claim(s) 1-3,5-18 and 21 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and are subject.	rawn from consideration.			
Application Papers				
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) according a policinary and request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examiration is objected to by the Examiration is objected.	ccepted or b) objected to by the e drawing(s) be held in abeyance. Section is required if the drawing(s) is o	ee 37 CFR 1.85(a). bjected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summar Paper No(s)/Mail I 5) Notice of Informal 6) Other:	Date		

Art Unit: 3761

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on March 25, 2008 has been entered.

Status of the claims

2. Claims 2, 4, 19 and 20 are canceled; claims 1, 3, 5-18 and 21 are pending in the application.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 3761

5. Claims 1, 3, 5-18 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Doyle (US 4,551,490) in view of Steer et al (GB 1,571,657) and further in view of Hahn et al (US 3,983,298).

- 6. With respect to claims 1 and 21, Doyle teaches an adhesively coupleable ostomy device (c. 1, 1. 10, c. 2, 1. 31 & 11. 41-44) comprising a pressure sensitive adhesive (c. 2, 1. 8), said adhesive, and thus any adhesive interface, comprising silicate resin including their blends and reaction products (c. 1, 1. 68; c. 4, 1. 55), said adhesive being resistant to migration of stomal fluids into adhesive interface (c. 2, 11. 31-34
- 7. With respect to the limitation that the ostomy device is a two component device, Doyle, at c. 6, Il. 13-19, teaches that the pressure sensitive adhesive is suitable as skin barriers for ostomates, and additionally teaches that the adhesive is suitable for attaching a coupling element could be attached to the polymeric surface of a two-part ostomy device as taught by Steer. Doyle does not expressly incorporate the device of Steer, but teaches the adhesive of Doyle is suitable for the known, prior art two part ostomy device of Steer. The prior art ostomy device of Steer is a two component adhesively coupleable ostomy device, suitable for pressure sensitive adhesive coupling. Steer, at page 1, lines 15-20, and as best depicted in Figures 1-6, provides motivation for a secure coupling between the two components (14, 16) of a two component adhesively coupleable ostomy device (p. 2, Il. 100-110) said two components (14, 16) releasably coupled to one another along an adhesive (78) interface. Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to apply the pressure sensitive adhesive of Doyle to the two component adhesively coupleable device of Steer since Doyle teaches its suitability for this purpose and Steer states at c. 1, Il. 15-20 that the benefit of such

Art Unit: 3761

coupling is that it provides secure coupling thereby preventing leakage, while allowing the bag to be easily removed and replaced thereby providing a more sanitary and convenient device for the consumer.

- 8. Doyle in view of Steer discloses the claimed invention except for one or more polysiloxanes. Hahn, at c. 1, ll. 64-65, teaches the suitability of polysiloxanes in pressure sensitive adhesives. Therefore it would have been obvious to one having ordinary skill in the art to utilize the polysiloxanes as taught by Hahn in the adhesive composition of Doyle since Hahn states, at c. 1, ll. 63-65, that the benefit of using polysiloxanes is that they provide high tack, good adhesive strength and excellent resistance to creep.
- 9. With respect to claim 3, Doyle teaches the adhesive, and thus any adhesive interface, includes between about 5% and about 65% hydrocolloids (c. 4, Il. 9-10).
- 10. With respect to claim 5, Doyle discloses the claimed invention except for one or polysiloxanes. Hahn teaches polyorganosiloxanes and diorganosiloxanes (c. 4, 1. 45) suitable for pressure sensitive adhesives. Hahn, at c. 1, ll. 64-65, teaches the suitability of polysiloxanes in pressure sensitive adhesives. Therefore it would have been obvious to one having ordinary skill in the art to utilize the polysiloxanes as taught by Hahn in the adhesive composition of Doyle since Hahn states, at c. 1, ll. 63-65, that the benefit of using polysiloxanes is that they provide high tack, good adhesive strength and excellent resistance to creep (see claim 1, *supra*).
- 11. With respect to claim 6, Doyle teaches plasticizing oil (c. 3, ll. 38-43).
- 12. With respect to claim 7, Doyle discloses the claimed invention except for the plasticizing oil is polydimethylsiloxane. Hahn teaches polydimethylsiloxane (Example 3, col. 12, ll. 49-52). Therefore it would have been obvious to one having ordinary skill in the art at the time the

Art Unit: 3761

invention was made to form the adhesive of Doyle comprising polydimethylsiloxane as taught by Hahn for the benefits of tack and adhesive strength taught by Hahn (Table 1, col. 12, ll. 29-44).

- 13. With respect to claims 8 and 9, Doyle discloses the claimed invention except for the polysiloxanes blended, treated or reacted with one or more silicate resins comprising trimethylsiloxy silica. Hahn, at Example 1 & Example 2, teaches trimethylsiloxy (c. 11, ll. 49-50 & c. 12, ll. 5-12). Therefore it would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the silicate resins of Hahn in the composition of Doyle for the beneficial pressure sensitive adhesive properties taught by Hahn in Table 1.
- 14. With respect to claim 10, Doyle teaches the adhesive, and thus any adhesive interface, includes material having silanol functionality (c. 4, 1. 55).
- 15. With respect to claims 11 and 15, Doyle discloses the claimed invention except for ratios of silicate to polysiloxanes and percentages of plasticizing component. Doyle, at c. 5, Il. 3-9, teaches that by adjusting the percentages of the components of the adhesive composition, properties such as duration of adhesion, resistance to erosion from biological fluids, stretchability, and removal without skin stripping can be varied according to the particular intended end use of the adhesion including, *inter alia*, for an ostomy device. Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to form the composition with the claimed percentages since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).
- 16. With respect to claims 12 and 13, Doyle teaches further property modifiers including tackifier (c. 4, 1. 20) and silicate (c. 4, 1. 55).

Application/Control Number: 10/715,730

Page 6

Art Unit: 3761

17. With respect to claim 14, Doyle teaches the adhesive, and thus the adhesive interface, contains a medicament for treatment or protection of peristomal skin (c. 4, l. 40-46; c. 5, ll. 8-10).

- 18. With respect to claims 16 and 17, Doyle discloses the claimed invention except for peel strength from a polyethylene or ethylene copolymer film between 0.5 and 9.0 Newtons/inch using the test method ASTM D3330 wherein the stainless steel substrate is replaced by polyethylene or ethylene copolymer film. Doyle, at c. 6, ll. 13-19, teaches the adhesive is intended for adhesion to a polymer film substrate of a two part ostomy device such that the ostomy coupling element can be attached to the polymeric film substrate of the adhesive interface; i.e. a two component adhesively coupleable ostomy device which is releasably coupled along the adhesive interface between the two components (see claim 1, *supra*). Doyle further teaches the adhesive is resistant to migration of stomal fluids (c. 2, ll. 21-22). Therefore it would have been obvious to one of ordinary skill in the art at the time the invention was made to form the adhesive having the claimed range of properties since it has been held that if a prior art structure is capable of performing the intended use as recited in the preamble, then in meets the claim. *In re Schreiber*, 128 F.3d 1473, 1477, 44 USPO2d 1429, 1431 (Fed. Cir. 1997).
- 19. With respect to claim 18, Doyle discloses the claimed invention except for the adhesive has a coat weight between about 10 grams/square meter and about 150 grams/square meter.

 Optimization of ranges of parameters within prior art ranges or though routine experimentation is not sufficient to patentably distinguish the invention over the prior art. MPEP § 2144.05. One of ordinary skill in the art would have recognized that increasing the thickness, and therefore the coat weight of the adhesive interface, would increase the adhesive strength joining the

components, while reducing the coat weight would reduce the thickness of the coat resulting in less cost or bulkiness. One of ordinary skill in the art would have recognized the benefit of optimizing the adhesion of the components depending on their function and exposure to body fluids. Therefore the parameters of coat weight and thickness are result effective variables and as such, it would have obvious to optimize them. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Response to Arguments

20. Applicant's arguments with respect to claims 1-3, 5-18 and 21 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

- 21. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 22. US 2,676,182 issued to Daudt et al: discloses polysiloxanes and silicate resin.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ginger T. Chapman whose telephone number is (571)272-4934. The examiner can normally be reached on Monday through Friday 9:30 a.m. to 6:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tatyana Zalukaeva can be reached on (571) 272-1115. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3761

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ginger T Chapman/ Examiner, Art Unit 3761 6/3/08 /Tatyana Zalukaeva/ Supervisory Patent Examiner, Art Unit 3761